



Jbm - 52649 - ÚTIL DE METAL INSTALACIÓN VÁLVULAS NEUMÁTICO

Herramientas, accesorios, mobiliario de taller, Epí's y ropa laboral de esta empresa nacional comercializadora y distribuidora con una relación calidad-precio inmejorable.

Características:

- Peso (aprx.): 3,200 KG.
- ALTO EMBALAJE: 8 CM.
- ANCHO EMBALAJE: 15 CM.
- LARGO EMBALAJE: 40,500 CM.

Para montar válvulas en llantas de vehículos







© 2000 Blackwell Science Ltd, *Journal of Internal Medicine* 247: 161–168

STROMENT FOR INSTALLARE VALVOLI PNEUMATICI - METAL
TERMINAZIONE METAL PARA-NUTLAR VALVULAS DE PNEUS
UTL. ON METAL PORTUL VALVOLI PNEUMATICI
CONNESSIONE APOC KÖNIG HAN MIPPEL

THESE RESULTS WERE OBTAINED USING A STANDARD METHOD FOR
THE MEASUREMENT OF THE EFFECT OF THE VIBRATION ON THE
STRUCTURE OF THE MATERIAL.

REF 52649





JBM



APPLY TO ALL TYPES OF METAL RODS AND TUBES
AND TUBES OF ALL SIZES AND WEIGHTS
APPLY TO ALL TYPES OF METAL RODS AND TUBES

FOR ALL TYPES OF METAL RODS AND TUBES
FOR ALL TYPES OF METAL RODS AND TUBES
FOR ALL TYPES OF METAL RODS AND TUBES

FOR ALL TYPES OF METAL RODS AND TUBES
FOR ALL TYPES OF METAL RODS AND TUBES
FOR ALL TYPES OF METAL RODS AND TUBES

REF. 52649